

## **GIOTTO LUX**

**AKOESTIEKBOETIEK** 






# GIOTTO LUX

#### **SNOWSOUND DIVISION**

#### LIGHTING ELEMENT TECHNICAL CARD

#### NOT DIMMABLE

Description: Fixture for diffused light complete with a high efficiency LED module (25W power) with nominal flux 3610 lm (3000 K). It is made from epoxy polyester powder coated aluminium and equipped with a polished polyethylene diffuser, which provides discreet and effective light without glare. Driver and electrical three-wire electrical cable 3x0,75 mm² lenght 390 cm included. The degree of protection against the penetration of dust, solid objects and liquids is IP40.




Luminaire details	
Supply voltage	220-240V 50-60Hz
Driver 1050mA	included
Insulation class	CLI
IP number	IP40
Glow wire	650° C
Impact test	IK07
European standards	EN60598-2-1
	EN62471:2008, EN60825-1
Photobiological risk	RG0

Lamp details		
Lamp	LED	
Туре	circular module	
CRI	>80	
ССТ	3000 K	
SDCM	3	
Luminous flux @65°C	3610lm	
Power supply	1050mA-24V	
IEE	A++	

#### DIMMABLE

Description: Fixture for diffused light complete with a high efficiency LED module (25W power) with nominal flux 3610 lm (3000 K). It is made from epoxy polyester powder coated aluminium and equipped with a polished polyethylene diffuser, which provides discreet and effective light without glare. Dimmable driver and electrical five-wire electrical cable 5x0,75 mm² lenght 390 cm included. The degree of protection against the penetration of dust, solid objects and liquids is IP40.



Luminaire details	
Supply voltage	220-240V 50-60Hz
Driver 1050mA	included
Insulation class	CLI
IP number	IP40
Glow wire	650° C
Impact test	IK07
European standards	EN60598-2-1
	EN62471:2008, EN60825-1
Photobiological risk	RG0

Lamp details	
Lamp	LED
Туре	circular module
CRI	>80
ССТ	3000 K
SDCM	3
Luminous flux @65°C	3610lm
Power supply	1050mA-24V
IEE	A++

Caimi Brevetti S.p.A. reserves, by its unappealable judgment, the right to modify without prior notice the building materials, the technical and aesthetic specifications, as well as the dimensions of the products in this technical sheet, where pictures are purely as an indication.



## AKOESTIEKBOETIEK



Deze informatie is afkomstig van de website van AkoestiekBoetiek.nl. Voor vragen, toelichting en meer informatie kunt u contact opnemen met:

### **AkoestiekBoetiek**

Modem 20b

7741 MJ Coevorden

T +31 (0)85-077 3688

E info@akoestiekboetiek.nl

W www.akoestiekboetiek.nl