




TL

AKOESTIEKBOETIEK



Description: Fixture with a Chip On Board technology high efficiency LED light source (6W power) for direct connection to mains voltage (230V) with a nominal flux of 528 lm (3000 K). It is made from epoxy powder coated die-cast aluminum. Complete with transparent screen and reflector. Three-wire electrical cable 3x0,75 mm² length 390 cm included. The degree of protection against the penetration of dust, solid objects and liquids is IP43.



Luminaire details

Supply voltage	230V 50Hz
Driver	not requested
Insulation class	CL I
IP number	IP43
Glow wire	960° C
Impact test	IK03
European standards	EN60598-2-1
	EN60598-2-2
	EN62471:2008, EN60825-1
Photobiological risk	RG1

Lamp details

Lamp	LED
Type	COB
CRI	>80
CCT	3000 K
Luminous flux @65°C	528lm
Power supply	230V 50Hz
IEE	A+





AKOESTIEKBOETIEK



Deze informatie is afkomstig van de website van AkoestiekBoetiek.nl.

Voor vragen, toelichting en meer informatie kunt u contact opnemen met:

AkoestiekBoetiek

Modem 20b

7741 MJ Coevorden

T +31 (0)85-077 3688

E info@akoestiekboetiek.nl

W www.akoestiekboetiek.nl